



## NTN BEARING-MALAYSIA SDN.BHD.



7206T2DBT/GNP4 Bearing 2D drawings and 3D CAD models

1.181 Inch | 30 Millimeter x 2.441 Inch | 62  
Millimeter x 1.89 Inch | 48 Millimeter NTN  
7206T2DBT/GNP4 Precision Ball Bearings

Bearing No. 7206T2DBT/GNP4

Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.57
EAN	4547359439816
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7   ISO P4
Material - Ball	Steel
Number of Bearings	3 (1 Triplex Set)
Contact Angle	30 Degree
Preload	Light
Raceway Style	1 Rib Inner Ring and Outer Ring
Cage Material	Polyamide
Rolling Element	Ball Bearing
Mounting Arrangement	Triplex-Tandem and Back to Back
Flush Ground	Yes
Inch - Metric	Metric
Other Features	Single Row   Angular Contact
Long Description	30MM Bore; 62MM Outside Diameter; 48MM Width; Open Enclosure;



## NTN BEARING-MALAYSIA SDN.BHD.

	ABEC 7   ISO P4 Precision; Steel Ball Material; 3 (1 Triplex Set) Bearings; 30 Degree Contact Angle; Polyamide Cage Material; 1 Rib Inner
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	7206T2DBT/GNP4
Weight / LBS	1.257
d	1.181 Inch   30 Millimeter
D	2.441 Inch   62 Millimeter
B	1.89 Inch   48 Millimeter
bore diameter:	30 mm
bearing material:	High Carbon Chrome Steel
outside diameter:	62 mm
precision rating:	ISO Class 4
overall width:	48 mm
cage material:	Nylon
contact angle:	30 °
finish/coating:	Uncoated
duplex type:	Back to Back
inner ring width:	16 mm
internal clearance:	C0
outer ring width:	16 mm
closure type:	Open
fillet radius:	1 mm
operating temperature range:	-40 to 120 ° C



## NTN BEARING-MALAYSIA SDN.BHD.

series:	72
radial dynamic load capacity:	5050 lb
manufacturer product page:	<a href="#">Click here</a>
radial static load capacity:	3350 lb